




TEMPORARY EROSION AND SEDIMENTATION CONTROL NOTES

THE T.E.S.C. NOTES AND PLAN ARE THE MINIMUM EROSION AND SEDIMENTATION CONTROLS FOR ANTICIPATED SITE CONDITIONS. SEE T.E.S.C. DETAILS.

- MARK CLEARING LIMITS.
THE BOUNDARIES OF THE CLEARING LIMITS SHALL BE CLEARLY FLAGGED OR FENCED IN THE FIELD PRIOR TO CONSTRUCTION. DURING THE CONSTRUCTION PERIOD, NO DISTURBANCE BEYOND THE FLAGGED OR FENCED CLEARING LIMITS SHALL BE PERMITTED. THE FLAGGING AND/OR FENCING SHALL BE MAINTAINED BY THE CONTRACTOR FOR THE DURATION OF THE CONSTRUCTION PROJECT.
- ESTABLISH CONSTRUCTION ACCESS.
MAINTAIN EXISTING ASPHALT SURFACING AND DRIVEWAYS AS LONG AS FEASIBLE. STABILIZED CONSTRUCTION ENTRANCES SHALL BE INSTALLED AT THE TIME THE EXISTING ASPHALT SURFACING IS REMOVED. STABILIZED CONSTRUCTION ENTRANCES SHALL BE MAINTAINED UNTIL SUCH TIME AS THE PERMANENT PAVEMENT SECTION IS PREPARED. ADDITIONAL MEASURES MAY BE REQUIRED TO KEEP PAVED AREAS CLEAN. PARK, EMPLOYEE, SUBCONTRACTOR, AND MATERIALMEN VEHICLES ON A STABILIZED PARKING AREA.
- CONTROL FLOW RATES.
PROTECT ADJACENT, DOWNSTREAM PROPERTIES FROM EROSION AND SEDIMENTATION THROUGH USE OF TEMPORARY CONSTRUCTION STORMWATER BMPs. IF PERMANENT STORMWATER MANAGEMENT FACILITIES ARE UTILIZED FOR FLOW CONTROL DURING CONSTRUCTION, THEY SHALL BE PROTECTED FROM SILTATION. APPLICABLE BMPs INCLUDE INLET PROTECTION MEASURES SUCH AS SILT FENCE, GRAVEL FILTER BERM, STRAW BALE BARRIER, STRAW WATTLES OR BELOW GRADE INLET FILTERS.
- INSTALL SEDIMENT CONTROLS.
BMPs INTENDED TO TRAP SEDIMENT ON-SITE SHALL BE CONSTRUCTED AS ONE OF THE FIRST CONSTRUCTION ACTIONS, AND SHALL BE FUNCTIONAL PRIOR TO GRADING OPERATIONS. APPLICABLE BMPs INCLUDE THOSE IN NOTE 3, AS WELL AS USE OF DUST PALLIATIVES SUCH AS POLYACRYLAMIDE (PAM) FOR SOIL EROSION PROTECTION, DUST CONTROL MEASURES, AND SEDIMENT TRAPS. FOLLOW THE MANUFACTURER'S INSTRUCTIONS AND CAUTIONS REGARDING HANDLING AND APPLICATION WHEN USING DUST PALLIATIVES. USED OIL IS PROHIBITED FROM USE AS A DUST SUPPRESSANT. PAM MAY BE (BMP C126) ADDED TO WATER AT A RATE OF 0.5 LBS. PER 1,000 GALLONS OF WATER PER ACRE AND APPLIED FROM A WATER TRUCK AND IS MORE EFFECTIVE THAN WATER ALONE. PROMPTLY REMOVE MUD AND DIRT FROM CITY STREETS AND STABILIZED SURFACES ON THE SITE.

- STABILIZE SOILS.
EXPOSED AND UNWORKED SOILS SHALL BE TEMPORARILY OR PERMANENTLY STABILIZED AS SOON AS PRACTICABLE. ERODIBLE SOIL NOT BEING WORKED, WHETHER AT FINAL GRADE OR NOT, SHALL BE COVERED WITHIN THE FOLLOWING TIME PERIOD USING AN APPROVED SOIL COVER PRACTICE: JULY 1 THROUGH SEPTEMBER 30 = 30 DAYS; OCTOBER 1 THROUGH JUNE 30 = 15 DAYS
- PROTECT SLOPES.
PLACE EXCAVATED MATERIAL ON UPGRADE SIDE OF TRENCHES, IN A MANNER CONSISTENT WITH SAFETY REGULATIONS AND SPACE CONSIDERATIONS.
- CONTROL POLLUTANTS.
REFUSE AND POLLUTANTS SHALL BE HANDLED AND DISPOSED OF IN A MANNER THAT DOES NOT CONTAMINATE STORMWATER. PROTECT, COVER, AND CONTAIN CHEMICALS, LIQUID AND PETROLEUM PRODUCTS, AND NON-INTERT WASTE. USE SPILL PREVENTION MEASURES DURING MAINTENANCE AND REPAIR OF HEAVY EQUIPMENT AND HAVE CONTROL AND CONTAINMENT DEVICES ON-HAND. INSTALL AND MAINTAIN A CONCRETE WASHOUT AREA. CONTROL DUST THROUGH USE OF WATERING AND/OR DUST PALLIATIVES - SEE NOTE 4. IRRIGATION WATER CAN BE USED FOR DUST CONTROL. IRRIGATION SYSTEMS SHOULD BE INSTALLED AS A FIRST STEP ON SITES WHERE DUST CONTROL IS A CONCERN. WATER USED FOR DUST CONTROL SHALL NOT LEAVE THE SITE AS SURFACE RUNOFF. USE SLOW SPEEDS TRAVELING ACROSS THE DISTURBED SITE. LIMIT DUST-CAUSING WORK ON WINDY DAYS.
- CONTROL DE-WATERING.
CONDITIONS REQUIRING DEWATERING ARE NOT ANTICIPATED AT THIS SITE. SHOULD DEWATERING BE NECESSARY, UNCONTAMINATED DEWATERING WATER SHALL BE DISPOSED OF THROUGH USE OF INFILTRATION. CONTAMINATED DEWATERING WATER SHALL BE HANDLED SEPARATELY FROM STORMWATER AND IN A MANNER CONSISTENT WITH APPLICABLE REGULATIONS.

- MAINTAIN BMPs.
ALL AREAS DISTURBED BY CONSTRUCTION ACTIVITIES, ALL ON-SITE EROSION AND SEDIMENT CONTROL BMPs, AND ALL STORMWATER DISCHARGE POINTS SHALL BE INSPECTED AT LEAST ONCE EVERY CALENDAR WEEK AND WITHIN 24-HOURS OF RUNOFF EVENTS IN WHICH STORMWATER DISCHARGES FROM THE SITE. INSPECTIONS OF TEMPORARILY STABILIZED, INACTIVE SITES MAY BE REDUCED TO ONCE EVERY CALENDAR MONTH. THE BMPs SHALL BE MAINTAINED TO PROMOTE THEIR CONTINUED FUNCTION AND OPERATION. ADDITIONAL BMPs (E.G. ADDITIONAL SUMPS, RELOCATION OF DITCHES AND SILT FENCES, ETC.) MAY BE NECESSARY TO DUE TO UNEXPECTED STORM EVENTS OR CHANGED SITE CONDITIONS OR CONSTRUCTION APPROACH. MAINTAIN FREQUENTLY REQUIRED MATERIALS ON HAND.
- MANAGE THE PROJECT.
THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL WORK REQUIRED FOR CONTROL OF EROSION AND SEDIMENTATION FOR THE PROJECT. THE IMPLEMENTATION AND MODIFICATION OF THE T.E.S.C. PLAN IS THE RESPONSIBILITY OF THE OWNER/CONTRACTOR UNTIL ALL CONSTRUCTION IS COMPLETED AND APPROVED, AND VEGETATION/LANDSCAPING IS ESTABLISHED. THE T.E.S.C. PLAN MUST BE MAINTAINED ON THE CONSTRUCTION SITE FOR REFERENCE AND USE BY PROJECT PERSONNEL AND SHALL BE MODIFIED IF IT IS INEFFECTIVE IN MINIMIZING POLLUTANTS IN STORMWATER DISCHARGE OR DUST CONTROL. DAMAGED OR INADEQUATE BMPs SHALL BE CORRECTED IMMEDIATELY. THE BMPs SHOWN ON THIS PLAN MUST BE IN-PLACE AND/OR OPERATIONAL PRIOR TO CLEARING AND GRADING ACTIVITIES, AND IN SUCH A MANNER AS TO PREVENT SEDIMENT-LADEN WATER FROM ENTERING THE DRAINAGE SYSTEM, LEAVING THE SITE, OR VIOLATING APPLICABLE WATER QUALITY STANDARDS.

FILL/CUT QUANTITIES TABLE				
	CUT	FILL	NET (CU YDS)	MATERIAL
A	209.32	23.26	136.05 CUT	DIRT
B	40.37	70.27	29.90 FILL	HOLE WITH LARGE ROCKS
C	85.36	118.66	32.68 FILL	HOLE WITH LARGE ROCKS
D	578.42	7.14	571.28 CUT	BARK
E	1323.07	5.07	1318.00 CUT	DIRT WITH LARGE ROCKS

TESC NOTE:
DUE TO CHARACTERISTICS OF TOPOGRAPHY, STORM WATER CANNOT EXIT THE SITE. TESC MEASURES INCLUDE SEEDING DISTURBED SOILS AND PROTECTING WIND BLOWN PARTICLES FROM LEAVING THE SITE.

DRY LAND SEED MIX SHALL BE USED FOR ALL DISTURBED AREAS OTHER THAN THE PLAYGROUND AND BATHROOM AREA AND PLACED AT 20-25 POUNDS PER ACRE. SEED SHALL BE PLACED DURING PERIODS WHEN SATISFACTORY RESULTS MAY BE OBTAINED OR OTHERWISE TEMPORARY / BIODEGRADABLE EROSION CONTROL MEASURES SHALL BE PROVIDED UNTIL SUITABLE SEEDING WINDOWS ARE ACHIEVABLE.

THE SEED SHALL BE CERTIFIED IN ACCORDANCE WITH WAC 16-302 AND MEET THE FOLLOWING REQUIREMENTS:

PROHIBITED WEED	0% MAX.
NOXIOUS WEED	0% MAX.
OTHER WEED	0.20% MAX.
OTHER CROP	0.40% MAX.



KEYED NOTES - DEMO

- REMOVE IRRIGATION BOX AND CONTROLS
- REMOVE IRRIGATION PRV AND VALVE BOX
- REMOVE POWER POLE AND RETURN METER TO CCPUD
- ROADWAY EXCAVATION INCL. HAUL, PILES AND HOLES TO BE LEVELED TO EG. FOR QUANTITIES SEE TABLE THIS SHEET. SCREEN 4" Ø ROCK AND LARGER AND STORE IN STOCKPILE AREA
- ROCK STOCKPILE AREA
- CONSTRUCTION ENTRANCE, SEE C4.0

KEYED NOTES - EXISTING

- SOCCER FIELD
- PLAYGROUND
- IRRIGATION CONTROL BOX
- PAVED PARKING
- GRAVEL PARKING
- MAINTENANCE SHED
- DISCONNECTED POWER POLE
- EXISTING IRRIGATION PRV AND VALVE BOX
- EXISTING 2" DOMESTIC WATER METER

Chelan County Natural Resource Department
Malaga Community Park Bathroom

IF NOT ONE INCH ON THIS SHEET
ADJUST SCALE ACCORDINGLY

EXISTING SITE,
DEMO & TESC
PLAN



C1.2



04/04/2025

MALAGA, WA
PROJECT NO. 22076-3CB

REV	DATE	DESCRIPTION	REV	DATE	DESCRIPTION
0	04/04/25	BID SET			



PACIFIC ENGINEERING
CIVIL STRUCTURAL

200 S. COLUMBIA STREET SUITE 300, WENATCHEE, WA 98801
(509) 662-1161, www.pacificengineering.net

MALAGA, WA
PROJECT NO. 22076.3CB

STANDARD DETAILS

C3.0



REV	DATE	DESCRIPTION	REV	DATE	DESCRIPTION
0	04/04/25	BID SET			



PACIFIC
ENGINEERING

200 S. COLUMBIA STREET, SUITE 300, VERNATOCHE, WA 98801
(509) 662-1161, www.pacificengineering.net

04/04/2025

Chelan County Natural Resource Department
Malaga Community Park Bathroom

MALAGA, WA
PROJECT NO. 22076.3GB

IF NOT ONE INCH ON THIS SHEET
ADJUST SCALE ACCORDINGLY



0 1"

WSDOT DETAILS

C4.0